

Good Night CBN Gummies, 150 mg, 30 count (TTL150MGCBN)



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Order ID#: 20211213-1389
Lab Code#: LC-20211213-3520
Product Type: Edible
Serving size (g)*: 4.8036
Servings per unit: 30
Lot Number: TTL150MGCBN

Date sampled: 7-Dec-2021
Date received: 13-Dec-2021
Completed: 22-Dec-2021
Report expires: 22-Dec-2022

SAFETY ANALYSIS

PASS Microbials	PASS Mycotoxins	PASS Metals	PASS Pesticides	PASS Solvents
---------------------------	---------------------------	-----------------------	---------------------------	-------------------------


CANNABINOIDS

Analysis Batch: WO-21121312
Analysis Date: Wednesday, December 15, 2021

Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33

Analyte	% ^a	mg/g	mg/serving	mg/unit
THCA-A	ND	ND	ND	ND
Δ9-THC	ND	ND	ND	ND
CBDA	ND	ND	ND	ND
CBD	ND	ND	ND	ND
CBN	0.101	1.013	4.865	145.9
CBDV	ND	ND	ND	ND
Δ8-THC	ND	ND	ND	ND
THCV	ND	ND	ND	ND
CBG	ND	ND	ND	ND
CBGA	ND	ND	ND	ND
CBC	ND	ND	ND	ND
Total THC^b:	ND	ND	ND	ND
Total CBD^c:	ND	ND	ND	ND
Total CBG^d:	ND	ND	ND	ND
Total^d:	0.101	1.013	4.865	145.9

Profile (mg/unit)



- ^a Detection Level = 0.002% by weight.
^b Total THC = THC + (THCA × 0.877).
^c Total CBD = CBD + (CBDA × 0.877).
^d Total CBG = CBG + (CBGA × 0.877).
^d Absolute sum of cannabinoids >LOD.

Comments:

* Weight uniformity:
Average weight of 10 units.

Authorization



Steven Perez, Laboratory Director
Approval Date: 22-Dec-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Good Night CBN Gummies, 150 mg, 30 count (TTL150MGCBN)



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Order ID#: 20211213-1389
Lab Code#: LC-20211213-3520
Product Type: Edible
Serving size (g)*: 4.8036
Servings per unit: 30
Lot Number: TTL150MGCBN

Date sampled: 7-Dec-2021
Date received: 13-Dec-2021
Completed: 22-Dec-2021
Report expires: 22-Dec-2022

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Absent in 1 g
Salmonella	Pass	Absent	Absent in 1 g
Listeria	Pass	Absent	Absent in 1 g

Analysis Batch: WO-21121701
Analysis Date: Tuesday, December 21, 2021
Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21121703
Analysis Date: Monday, December 20, 2021
Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 33

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-21121702
Analysis Date: Tuesday, December 21, 2021
Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 22-Dec-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Good Night CBN Gummies, 150 mg, 30 count (TTL150MGCBN)



The Trusted Lab

1334 Motor Circle

Dallas, TX 75207

www.thetrustedlab.com

The TRUSTED Lab

The CBD Company

Order ID#: 20211213-1389
 Lab Code#: LC-20211213-3520
 Product Type: Edible
 Serving size (g)*: 4.8036
 Servings per unit: 30
 Lot Number: TTL150MGCBN

Date sampled: 7-Dec-2021
 Date received: 13-Dec-2021
 Completed: 22-Dec-2021
 Report expires: 22-Dec-2022

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etiozazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Fonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Paclobutrazol	0.10	ND - Pass
Pentachloronitrobenzene	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-21121703
 Analysis Date (LC): Monday, December 20, 2021
 Analysis Date (GC): Monday, December 20, 2021

Test Method: SOP 6.7
 Instrument: Agilent LC-MS/MS, Instrument 32
 Instrument: Agilent GC-MS/MS, Instrument 34

Comments:

None.



Authorization

Steven Perez, Laboratory Director

Approval Date: 22-Dec-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Good Night CBN Gummies, 150 mg, 30 count (TTL150MGCBN)



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Order ID#: 20211213-1389
Lab Code#: LC-20211213-3520
Product Type: Edible
Serving size (g)*: 4.8036
Servings per unit: 30
Lot Number: TTL150MGCBN

Date sampled: 7-Dec-2021
Date received: 13-Dec-2021
Completed: 22-Dec-2021
Report expires: 22-Dec-2022

WATER DETERMINATIONS

Water Activity

Analysis Batch: WO-21121705
Analysis Date: 20-Dec-2021
Result: 0.6397
Instrument: I40



% Moisture

Analysis Batch: WO-21121705
Analysis Date: 20-Dec-2021
Result: 8.54%
Instrument: E15

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	83.3 - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

LOD = 20 µg/g

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	25.8 - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

Analysis Batch: WO-21121704
Analysis Date: Friday, December 17, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.



Authorization

Steven Perez, Laboratory Director
Approval Date: 22-Dec-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -