

Delta-8 Gummies, 600 mg (3478)



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207

www.thetrustedlab.com

The **TRUSTED** Lab 
The CBD Company

Order ID#: 20220317-1575

Product Type: Edible (Gummy)

Serving size (g)*: 4.6976

Servings per unit: 30

Lot Number: 3478

Batch Number: NA

Lab Code#: LC-20220317-4168

Sample date: 17-Mar-2022

Date received: 21-Mar-2022

Completed: 1-Apr-2022

Report expires: 1-Apr-2023

SAFETY ANALYSIS


PASS

Microbials



PASS

Metals



PASS

Mycotoxins



PASS

Solvents



PASS

Pesticides



CANNABINOIDS

Analysis Batch: WO-22032201A


Analysis Date: Friday, March 25, 2022

Test Method: SOP 6.6

Instrument: Agilent HPLC, Instrument 33

Analyte	% ^a	mg/g	mg/serving	mg/unit
THCA-A	ND	ND	ND	ND
Δ9-THC	0.0569	0.5688	2.672	80.16
CBDA	ND	ND	ND	ND
CBD	ND	ND	ND	ND
CBN	ND	ND	ND	ND
CBDV	ND	ND	ND	ND
Δ8-THC	0.389	3.895	18.30	548.9
THCV	ND	ND	ND	ND
CBG	ND	ND	ND	ND
CBGA	ND	ND	ND	ND
CBC	ND	ND	ND	ND
Total THC^b:	0.0569	0.5688	2.672	80.16
Total CBD^c:	ND	ND	ND	ND
Total CBG^d:	ND	ND	ND	ND
Total^e:	0.446	4.464	20.97	629.0

Profile (mg/unit)



^a Detection Level = 0.002% by weight.

^b Total THC = THC + (THCA × 0.877).

^c Total CBD = CBD + (CBDA × 0.877).

^d Total CBG = CBG + (CBGA × 0.877).

^e Absolute sum of cannabinoids > LOD.

Comments:

* Weight uniformity:
Average weight of 10 edibles.

Authorization



Steven Perez, Laboratory Director

Approval Date: 1-Apr-2022

Test results are based solely upon the test article submitted to AmeriCanna Laboratories, LLC in the condition it was received. AmeriCanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of AmeriCanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Delta-8 Gummies, 600 mg (3478)

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification	Unit
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Report	per 1 gram
Salmonella	Pass	Absent	Report	per 1 gram
Listeria	Pass	Absent	Report	per 1 gram

Analysis Batch: WO-22032801
Analysis Date: Thursday, March 31, 2022

Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-22032902
Analysis Date: Wednesday, March 30, 2022

Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)	Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass	Heptane	5000	ND - Pass
Acetone	5000	ND - Pass	Hexane	290	ND - Pass
Acetonitrile	410	ND - Pass	Isopropyl Alcohol	500	ND - Pass
Benzene	2	ND - Pass	Methanol	3000	ND - Pass
Butane	2000	ND - Pass	Methylene Chloric	600	ND - Pass
Chloroform	60	ND - Pass	Pentane	5000	ND - Pass
Ethanol	5000	31.4 - Pass	Propane	2100	ND - Pass
Ethyl Acetate	5000	ND - Pass	Toluene	890	ND - Pass
Ethyl Ether	5000	ND - Pass	Trichloroethylene	80	ND - Pass
Ethylene Oxide	5	ND - Pass	Xylenes, Total	2170	ND - Pass

LOD = 20 µg/g

Analysis Batch: WO-22032905
Analysis Date: Tuesday, March 29, 2022

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 1-Apr-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC, in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with standard laboratory practices and ISO/IEC 17025 requirements, such as data generated using Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC.
ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Delta-8 Gummies, 600 mg (3478)

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Flonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Paclobutrazol	0.10	ND - Pass
Pentachloronitroben	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-22032903
Analysis Date (LC): Wednesday, March 30, 2022
Analysis Date (GC): Wednesday, March 30, 2022

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 1-Apr-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC, in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with standard laboratory practices and ISO/IEC 17025 requirements, such as data generated using Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

Delta-8 Gummies, 600 mg (3478)

WATER DETERMINATIONS

Water activity

Analysis Batch: WO-22032904
Analysis Date: 29-Mar-2022
Result: 0.6201
Instrument: I40



% Moisture

Analysis Batch: WO-22032904
Analysis Date: 29-Mar-2022
Result: 7.87%
Instrument: I45

MYCOTOXINS

Analyte	Action Limit	Result	Report	LOD	Unit
Aflatoxin, Total	0.020	ND	Pass	0.005	µg/g
Ochratoxin A	0.020	ND	Pass	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-22032903
Analysis Date: Wednesday, March 30, 2022

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 1-Apr-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC, in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with standard laboratory practices and ISO/IEC 17025 requirements, such as data generated using Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC.
ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -