



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Sleep Syrup 500mg Raspberry (2372)

Order ID#:	20220719-1770	Lab Code#:	LC-20220719-4771
Product Type:	Derivative (Tincture)	Sample date:	19-Jul-2022
Unit Amt. (mL):	120	Date received:	16-May-2022
Lot Number:	2372	Completed:	12-Aug-2022
Batch Number:	NA		

SAFETY ANALYSIS

PASS Microbials	PASS Mycotoxins	PASS Metals	PASS Pesticides	PASS Solvents
---------------------------	---------------------------	-----------------------	---------------------------	-------------------------

CANNABINOIDS

Analysis Batch: WO-22072507
Analysis Date: Tuesday, July 26, 2022


Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33

Analyte	% ^a	mg/mL	mg/unit
THCA-A	ND	ND	ND
Δ9-THC	0.0483	0.4825	57.90
CBDA	ND	ND	ND
CBD	ND	ND	ND
CBN	ND	ND	ND
CBDV	ND	ND	ND
Δ8-THC	0.366	3.665	439.8
THCV	ND	ND	ND
CBG	ND	ND	ND
CBGA	ND	ND	ND
CBC	ND	ND	ND
Total:	0.0483	4.147	497.7

Total THC^b
0.05%

Δ8-THC
440 mg

TOTAL^d
498 mg



^a Detection Level = 0.03% by weight.

^b Total THC is calculated as %THC + (%THCA × 0.877).

^c Total CBD is calculated as %CBD + (%CBDA × 0.877).

^d Absolute sum of all cannabinoids above the level of detection.

Comments:

120 mL/unit



Authorization

Steven Perez, Laboratory Director

Approval Date: 12-Aug-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Sleep Syrup 500mg Raspberry (2372)

Order ID#:	20220719-1770	Lab Code#:	LC-20220719-4771
Product Type:	Derivative (Tincture)	Sample date:	19-Jul-2022
Unit Amt. (mL):	120	Date received:	16-May-2022
Lot Number:	2372	Completed:	12-Aug-2022
Batch Number:	NA		

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Present/Absent in 1 g
Salmonella	Pass	Absent	Present/Absent in 1 g
Listeria	Pass	Absent	Present/Absent in 1 g

Analysis Batch: WO-22080512 **Test Method:** SOP 6.11 (qPCR)
Analysis Date: Tuesday, August 09, 2022 **Instrument:** Agilent AriaMX, Instrument 43

MYCOTOXINS

Analyte	Report	Result	Action Limit	LOD	Unit
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-22080516 **Test Method:** SOP 6.7
Analysis Date: Monday, August 08, 2022 **Instrument:** Agilent LC-MS/MS, Instrument 33

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-22080514 **Test Method:** SOP 6.10
Analysis Date: Monday, August 08, 2022 **Instrument:** Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 12-Aug-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Sleep Syrup 500mg Raspberry (2372)

Order ID#:	20220719-1770	Lab Code#:	LC-20220719-4771
Product Type:	Derivative (Tincture)	Sample date:	19-Jul-2022
Unit Amt. (mL):	120	Date received:	16-May-2022
Lot Number:	2372	Completed:	12-Aug-2022
Batch Number:	NA		

PESTICIDES

Analyte	Action Level	Result (µg/g)	Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass	Fludioxonil	3.00	ND - Pass
Acephate	3.00	ND - Pass	Hexythiazox	2.00	ND - Pass
Acequinocyl	2.00	ND - Pass	Imazail	0.10	ND - Pass
Acetamiprid	3.00	ND - Pass	Imidacloprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass	Kresoxim methyl	1.00	ND - Pass
Azoxystrobin	3.00	ND - Pass	Malathion	2.00	ND - Pass
Bifenazate	3.00	ND - Pass	Metalaxyl	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass	Methiocarb	0.10	ND - Pass
Boscalid*	3.00	ND - Pass	Methomyl	0.10	ND - Pass
Captan	3.00	ND - Pass	Methyl parathion*	0.10	ND - Pass
Carbaryl	0.50	ND - Pass	Mevinphos (I/II)	0.10	ND - Pass
Carbofuran	0.10	ND - Pass	Myclobutanil	3.00	ND - Pass
Chlorantraniliprole	3.00	ND - Pass	Naled	0.50	ND - Pass
Chlordane*	0.10	ND - Pass	Oxamyl	0.50	ND - Pass
Chlorfenapyr	0.05	ND - Pass	Paclbutrazol	0.10	ND - Pass
Chloromequat chloride	3.00	ND - Pass	Pentachloronitrobenzene*	0.20	ND - Pass
Chlorpyrifos*	0.10	ND - Pass	Permethrin*	1.00	ND - Pass
Clofentezine	0.50	ND - Pass	Phosmet	0.20	ND - Pass
Coumaphos	0.10	ND - Pass	Piperonyl butoxide	3.00	ND - Pass
Cyfluthrin*	1.00	ND - Pass	Prallethrin	0.40	ND - Pass
Cypermethrin*	1.00	ND - Pass	Propiconazole	1.00	ND - Pass
Daminozide	0.10	ND - Pass	Propoxur	0.10	ND - Pass
Diazinon	0.20	ND - Pass	Pyrethrins	1.00	ND - Pass
Dichlorvos	0.10	ND - Pass	Pyridaben	3.00	ND - Pass
Dimethoate	0.10	ND - Pass	Spinetoram (J/L)	3.00	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass	Spinosad A + D	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass	Spiromesifen	3.00	ND - Pass
Etofenprox	0.10	ND - Pass	Spirotetramat	3.00	ND - Pass
Etoxazole	1.50	ND - Pass	Spiroxamine (I/II)	0.10	ND - Pass
Fenhexamid	3.00	ND - Pass	Tebuconazole	1.00	ND - Pass
Fenoxycarb	0.10	ND - Pass	Thiacloprid	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass	Thiamethoxam	1.00	ND - Pass
Fipronil	0.10	ND - Pass	Trifloxystrobin	3.00	ND - Pass
Flonicamid	2.00	ND - Pass			

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-22080516
Analysis Date (LC): Monday, August 08, 2022
Analysis Date (GC): Monday, August 08, 2022

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

Comments:

None.

Authorization

Steven Perez, Laboratory Director
Approval Date: 12-Aug-2022



Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.



The Trusted Lab

1334 Motor Circle
Dallas, TX 75207
www.thetrustedlab.com



Sleep Syrup 500mg Raspberry (2372)

Order ID#:	20220719-1770	Lab Code#:	LC-20220719-4771
Product Type:	Derivative (Tincture)	Sample date:	19-Jul-2022
Unit Amt. (mL):	120	Date received:	16-May-2022
Lot Number:	2372	Completed:	12-Aug-2022
Batch Number:	NA		

WATER DETERMINATIONS

Water activity

Analysis Batch: WO-22080513
Analysis Date: 8-Aug-2022
Result: 0.89
Instrument: I40



% Moisture

Analysis Batch: WO-22080513
Analysis Date: 8-Aug-2022
Result: 45.71%
Instrument: I45

RESIDUAL SOLVENTS

Analysis Batch: WO-22080515
Analysis Date: Tuesday, August 09, 2022

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	ND - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

Comments:

None.

Authorization



Steven Perez, Laboratory Director
Approval Date: 12-Aug-2022

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -