

### The Daily Scoop Fitness Greens (9485)



#### The Trusted Lab

1334 Motor Circle  
Dallas, TX 75207  
[www.thetrustedlab.com](http://www.thetrustedlab.com)



<b>Order ID#:</b>	<b>20230109-2134</b>	Date sampled:	9-Jan-2023
Lab Code#:	LC-20230109-5821	Date received:	11-Jan-2023
Lot number:	9485	Best by date:	Jun 2024
Net Weight:	269.3 g	Completed:	30-Jan-2023
Serving size:	7.7 g (1scoop)		
Servings per unit:	35		

### CHEMICAL ANALYSIS

Active Ingredients Per Serving	Composition	Label Claim	Assay Results	Method
Vitamin C	102 mg	102 mg	Conforms	By Input
Thiamin (as Thiamin HCL)	1 mg	1 mg	Conforms	By Input
Riboflavin	0.4 mg	0.4 mg	Conforms	By Input
Niacin (as Niacinamide)	13 mg	13 mg	Conforms	By Input
Vitamin B6 (as Pyridoxine HCL)	1.6 mg	1.6 mg	Conforms	By Input
Vitamin B12 (as Methylcobalamin)	2.6 mg	2.6 mg	Conforms	By Input
Sodium	30 mg	30 mg	Conforms	By Input
Potassium	90 mg	90 mg	Conforms	By Input
<b>Organic Greens</b>	2500 mg	2500 mg	Conforms	By Input
<i>Organic Wheat Grass, Organic Alfalfa Grass, Organic Barley Grass, Organic Lemon Juice, Organic Kale, Organic Astragalus 10:1, Organic Oat Grass, Organic Chlorella, Organic Sirilina Powder.</i>				
<b>Red Antioxidant Blend</b>	425 mg	425 mg	Conforms	By Input
<i>Organic Beet Root, Bilberry Fruit PE 4:1, Maqui Berry, Pomegranate Gruit, Acai Berry, Acerola, Amia, Jabuticaba, Cranberry, Goji, Mangosteen, Strawberry, Organic Schisandra.</i>				
<b>Immune Support</b>	250 mg	250 mg	Conforms	By Input
<i>Vitamin C, Organic Turmeric Powder, Reishi Mushroom, (Ganoderma Lucidum) (Whole Mushroom), Cordyceps.</i>				
<b>Digestive Enzymes</b>	170 mg	170 mg	Conforms	By Input
<i>Cellulase, Papain, Protease, Lipase.</i>				
<b>Other Ingredients:</b> Inulin (Chicory Root), Natural Flavor, Stevia.				

### MICROBIALS

<b>Analysis Batch:</b>	WO-23011217	<b>Test Method:</b>	SOP 6.11 (qPCR)
<b>Analysis Date:</b>	Tuesday, January 17, 2023	<b>Instrument:</b>	Agilent AriaMX, Instrument 43

Test	Specification	Result	Units	Report
Total Aerobic Microbial Count	< 10,000	2700	CFU/10g	Conforms
Total Yeast/Mold	< 1,000	< 100	CFU/10g	Conforms
STEC/E. coli	Absent in 10 g	Absent		Pass
Staphylococcus aureus	Absent in 10 g	Absent		Pass
Salmonella	Absent in 10 g	Absent		Pass

#### Comments:

None.

#### Authorization




Steven Perez, Laboratory Director  
Approval Date: 30-Jan-2023

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

### The Daily Scoop Fitness Greens (9485)



#### The Trusted Lab

1334 Motor Circle  
Dallas, TX 75207

[www.thetrustedlab.com](http://www.thetrustedlab.com)



**Order ID#:** 20230109-2134  
**Lab Code#:** LC-20230109-5821  
**Lot number:** 9485  
**Net Weight:** 269.3 g  
**Serving size:** 7.7 g (1scoop)  
**Servings per unit:** 35

**Date sampled:** 9-Jan-2023  
**Date received:** 11-Jan-2023  
**Best by date:** Jun 2024  
**Completed:** 30-Jan-2023

### HEAVY METALS

**Analysis Batch:** WO-23011218      **Test Method:** SOP 6.10  
**Analysis Date:** Monday, January 17, 2022      **Instrument:** Agilent ICP/MS, Instrument 37

Element	Action Limit	Result	LOD	Unit	Report
Lead	0.50	ND	0.050	µg/g	Pass
Arsenic	1.5	ND	0.050	µg/g	Pass
Mercury	3.0	ND	0.005	µg/g	Pass
Cadmium	0.50	ND	0.050	µg/g	Pass

#### Comments:

\*Analysis and test results are based solely on input data and materials provided to Americanna Labs by The Trusted Lab.

#### Authorization



Steven Perez, Laboratory Director  
Approval Date: 30-Jan-2023

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -