CERTIFICATE OF ANALYSIS



Trusted Lab

Customer: 1334 Motor Circle

Dallas TX,75207

Batch #: TRT 20

Laboratory Number: ATL-15391

Report Issue Date: 9/15/2023

Order Date: 9/13/2023

Analysis Date: 9/14/2023

Sample Description:

BSO 500 Tincture Razz

Unit Weight: 29g / Bottle



Extraction Technician: LL Analytical Chemist: LL

Kim Dang

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/bottle	%		Analyte	LOQ (mg/g)	Results mg/bottle	
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	
CBDV	<0.011	<loq< th=""><th><loq< th=""><th></th><th>THCV-A</th><th><0.005</th><th>N/D</th><th></th></loq<></th></loq<>	<loq< th=""><th></th><th>THCV-A</th><th><0.005</th><th>N/D</th><th></th></loq<>		THCV-A	<0.005	N/D	
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	
CBG-A	<0.008	N/D	N/D		D9-THC	<0.014	N/D	
CBG	<0.007	220.690	0.761		D8-THC	<0.005	N/D	
CBD	<0.008	446.310	1.539		9S-D10-TH	C <0.005	N/D	
THCV	<0.008	N/D	N/D		9R-D10-TH	<0.002	N/D	1
1/-	-	1//	//	7/1				

Analyte	LOQ (mg/g)	Results mg/bottle	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

	Max Active THC	mg/bottle	%	
1		N/D	N/D	
	Max Active CBD	mg/bottle	%	
		446.31	1.54	

Total Active	mg/bottle	%
Cannabinoids	667.00	2.30
Total	mg/bottle	%
Cannabinoids	667.00	2.30

%

N/D

N/D

N/D

N/D

N/D

N/D

N/D

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date:8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

