

CERTIFICATE OF ANALYSIS



Trusted Lab
Customer: 1334 Motor Circle
 Dallas TX, 75207

Batch #: TRT 17
Laboratory Number: ATL-15388

Report Issue Date: 9/15/2023

Order Date: 9/13/2023

Analysis Date: 9/14/2023

Sample Description:

FSO 2500 Tincture Razz

Unit Weight: 29g / Bottle



Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

| Analyte | LOQ (mg/g) | Results mg/bottle | % |
|---------|------------|-------------------|-------|
| CBDV-A | <0.011 | N/D | N/D |
| CBDV | <0.011 | 17.400 | 0.060 |
| CBD-A | <0.008 | N/D | N/D |
| CBG-A | <0.008 | N/D | N/D |
| CBG | <0.007 | 21.170 | 0.073 |
| CBD | <0.008 | 2561.860 | 8.834 |
| THCV | <0.008 | N/D | N/D |

| Analyte | LOQ (mg/g) | Results mg/bottle | % |
|------------|------------|-------------------|-------|
| D8-THCV | <0.004 | N/D | N/D |
| THCV-A | <0.005 | N/D | N/D |
| CBN | <0.011 | <LOQ | <LOQ |
| D9-THC | <0.014 | 59.160 | 0.204 |
| D8-THC | <0.005 | N/D | N/D |
| 9S-D10-THC | <0.005 | N/D | N/D |
| 9R-D10-THC | <0.002 | N/D | N/D |

| Analyte | LOQ (mg/g) | Results mg/bottle | % |
|---------|------------|-------------------|-------|
| CBC | <0.009 | 75.980 | 0.262 |
| CBC-A | <0.005 | N/D | N/D |
| THC-A | <0.005 | N/D | N/D |

| Max Active THC | mg/bottle | % |
|----------------|-----------|------|
| | 59.16 | 0.20 |

| Max Active CBD | mg/bottle | % |
|----------------|-----------|------|
| | 2561.86 | 8.83 |

| Total Active Cannabinoids | mg/bottle | % |
|---------------------------|-----------|------|
| | 2735.57 | 9.43 |

| Total Cannabinoids | mg/bottle | % |
|--------------------|-----------|------|
| | 2735.57 | 9.43 |

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDLA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
 Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)
 Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

