

# CERTIFICATE OF ANALYSIS



Trusted Lab  
**Customer:** 1334 Motor Circle  
 Dallas TX,75207

**Batch #:** TRT 8  
**Laboratory Number:** ATL-15379

**Report Issue Date:** 9/14/2023

**Order Date:** 9/13/2023

**Analysis Date:** 9/14/2023

**Sample Description:**  
 FSO 500 Tincture Citrus



**Extraction Technician:** LL  
**Analytical Chemist:** LL

**Unit Weight:** 29g / Bottle

*Kim Dang*  
 Laboratory Manager

## CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D	CBC	<0.009	23.200	0.080
CBDV	<0.011	<LOQ	<LOQ	THCV-A	<0.005	N/D	N/D	CBC-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBN	<0.011	<LOQ	<LOQ	THC-A	<0.005	N/D	N/D
CBG-A	<0.008	N/D	N/D	D9-THC	<0.014	15.370	0.053				
CBG	<0.007	6.670	0.023	D8-THC	<0.005	N/D	N/D				
CBD	<0.008	510.110	1.759	9S-D10-THC	<0.005	N/D	N/D				
THCV	<0.008	N/D	N/D	9R-D10-THC	<0.002	N/D	N/D				

<b>Max Active THC</b>	mg/bottle	%
	15.37	0.05

<b>Total Active Cannabinoids</b>	mg/bottle	%
	555.35	1.92

<b>Max Active CBD</b>	mg/bottle	%
	510.11	1.76

<b>Total Cannabinoids</b>	mg/bottle	%
	555.35	1.92

## NOTES

Cannabidiol (CBD) Cannabidiol Acetate (CDBA) Cannabidiol Acid (CBDA) Cannabigerol (CBG) Cannabigerol Acetate (CBGA) Cannabigerol Acid (CBGA) Cannabidiol Acetate (CDBA) Cannabidiol Acetic Acid (CDBAA) Tetrahydrocannabinol (THC) Tetrahydrocannabinol Acetate (THCA) Tetrahydrocannabinol Acid (THCA) Tetrahydrocannabinol Acetic Acid (THCAA) Tetrahydrocannabinolic Acid (THCA) Tetrahydrocannabinolic Acid Acetate (THCAA) Tetrahydrocannabinolic Acid Acetic Acid (THCAA) Cannabichromene (CBC) Cannabichromenic Acid (CBCA) Tetrahydrocannabinolic Acid (THCA)



Document ID: ATL-225 Revision: 04 Effective Date: 8/2/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.  
 N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)