



Certificate of Analysis

Compliance Test

Client Information:

The Trusted Lab
1334 Motor Circle
Dallas, TX 75219

Batch # 4172503
Batch Date: 2025-03-03
Extracted From: HEMP

Test Reg State: Florida

Order # THE250421-090001
Order Date: 2025-04-21
Sample # AAGQ108

Sampling Date: 2025-04-22
Lab Batch Date: 2025-04-22
Completion Date: 2025-04-28

Initial Gross Weight: 124.100 g
Net Weight: 57.200 g
Density: 1.057 g/ml
Volume: 30 ml



Potency
Tested

Product Image



Potency 10

Specimen Weight: 101.060 mg

Tested


SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
CBD	5.40E-5	0.015	9.978	0.944
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			9.440	0.944
Total Active THC			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 299.342 mg
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 0.944%	299.342 mg


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Client supplied the net weight of mg The results apply to the sample as received. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Client supplied the net weight of mg The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.