



Certificate of Analysis

Compliance Test

Client Information:

The Trusted Lab
1334 Motor Circle
Dallas, TX 75219

Batch # 42812501
Batch Date: 2025-01-06
Extracted From: HEMP

Test Reg State: Florida

Order # THE250421-090001
Order Date: 2025-04-21
Sample # AAGQ111

Sampling Date: 2025-04-22
Lab Batch Date: 2025-04-22
Completion Date: 2025-04-28

Initial Gross Weight: 81.000 g
Density: 1.015 g/ml
Volume: 30 ml



Product Image



**Potency
Tested**



Potency 10

Specimen Weight: 101.460 mg

Tested


SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
CBD	5.40E-5	0.015	26.025	2.564
CBG	2.48E-4	0.015	1.269	0.125
CBDV	6.50E-5	0.015	0.173	0.017
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			25.640	2.564
Total Active THC			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 2.564% 780.738 mg
Total CBG 0.125% 38.0625 mg	Total CBN None Detected
Total Cannabinoids 2.706% 823.977 mg	


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Client supplied the net weight of ml The results apply to the sample as received. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Client supplied the net weight of ml The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.