



## Certificate of Analysis

Compliance Test

### Client Information:

**The Trusted Lab**  
1334 Motor Circle  
Dallas, TX 75219

Batch # 4372503  
Batch Date: 2025-03-03  
Extracted From: HEMP

Test Reg State: Florida

Order # THE250421-090001  
Order Date: 2025-04-21  
Sample # AAGQ106

Sampling Date: 2025-04-22  
Lab Batch Date: 2025-04-22  
Completion Date: 2025-04-28

Initial Gross Weight: 80.400 g  
Density: .997 g/ml  
Volume: 30 ml



Product Image



**Potency  
Tested**



### Potency 10

Specimen Weight: 101.950 mg

### Tested


SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
CBD	5.40E-5	0.015	31.306	3.140
Delta-9 THC	1.30E-5	0.015	1.296	0.130
CBG	2.48E-4	0.015	0.558	0.056
CBDV	6.50E-5	0.015	0.489	0.049
THCV	7.00E-6	0.015	0.160	0.016
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
Total Active CBD			31.400	3.140
Total Active THC			1.300	0.130



### Potency Summary

<b>Total Active THC</b> 0.130% 38.883 mg	<b>Total Active CBD</b> 3.140% 939.174 mg
<b>Total CBG</b> 0.056% 16.75 mg	<b>Total CBN</b> None Detected
<b>Total Cannabinoids</b> 3.391% 1014.248 mg	

  
Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of ml The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.